

Cardona







4 BEDROOMS & 3.5 BATHROOMS

ELEV. A: 3824 SQ FT | ELEV. B: 3816 SQ FT | ELEV. C: 3865 SQ FT

OPT. CABANA - ELEV. A: 4106 SQ FT | ELEV. B: 4101 SQ FT | ELEV. C: 4150 SQ FT







SQ FT INCLUDE 121 SQ FT FOR FINISHED BASEMENT FOYER (ADDITIONAL 891 SQ FT WITHOUT CABANA
FOR OPTIONAL FINISHED BASEMENT & 1176 SQ FT WITH CABANA)





Cardona









ELEV. A: 3824 SQ FT | ELEV. B: 3816 SQ FT | ELEV. C: 3865 SQ FT
OPT. CABANA - ELEV. A: 4106 SQ FT | ELEV. B: 4101 SQ FT | ELEV. C: 4150 SQ FT
SQ FT INCLUDE 121 SQ FT FOR FINISHED BASEMENT FOYER (ADDITIONAL 891 SQ FT WITHOUT CABANA
FOR OPTIONAL FINISHED BASEMENT & 1176 SQ FT WITH CABANA)



All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. E.&O.E. 5003

Cardona

ELEV. A: 3824 SQ FT | ELEV. B: 3816 SQ FT | ELEV. C: 3865 SQ FT
OPT. CABANA - ELEV. A: 4106 SQ FT | ELEV. B: 4101 SQ FT | ELEV. C: 4150 SQ FT
SQ FT INCLUDE 121 SQ FT FOR FINISHED BASEMENT FOYER (ADDITIONAL 891 SQ FT WITHOUT CABANA
FOR OPTIONAL FINISHED BASEMENT & 1176 SQ FT WITH CABANA)



All illustrations are artist's concept. Specifications and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. Tile patterns may vary. Window size and location may vary. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. Please see Sales for details. Materials, suppliers and upgrades may vary by builder. E.&O.E. 5003